BOROUGH OF BRIDGEVILLE COUNCIL MEETING MINUTES Monday, August 14, 2023 7:00 PM

The meeting was held within Council Chambers at the Bridgeville Borough Building, 425 Bower Hill Road and virtually on the website www.Zoom.us. Council Vice President Nino Petrocelli led a moment of silence for the recently departed members of our community and those serving in the military.

ROLL CALL – Roll was called at 7:00 PM with the following present:

Council Vice President, Nino Petrocelli, Sr. Council President Pro Tem Joseph Colosimo Councilman, Bruce Ghelarducci Councilman, Joseph Verduci Councilman Nicholas Ciesielski Councilwoman, Justine Cimarolli

Mayor Betty Copeland, Solicitor Thomas McDermott, Borough Engineer Kevin Brett, Fire Chief Ray Costain, Police Chief Chad King, EMS Director Dan Miller, and Borough Manager Joseph Kauer.

Absent: Council President William Henderson

COMMENTS FROM THE FLOOR:

1. Mr. Bob Fryer, 508 Hunters Path, South Fayette Township, asked the Borough Council if plans have been made to add decorative light poles on Washington Avenue in the south-end and to plant trees there behind the sidewalks.

BUSINESS

- 1. A motion to approve the July 10, 2023, Regular Meeting Minutes as submitted was made by Mr. Ghelarducci, seconded by Mr. Ciesielski; motion carried unanimously.
- 2. A motion to approve the August 2023 Bill List was made by Mr. Verduci, seconded by Mr. Colosimo; motion carried unanimously.
- 3. A motion to approve the August 18, 25, September 1 and 8 payrolls was made by Mr. Ghelarducci, seconded by Mr. Ciesielski; motion carried unanimously.
- 4. A motion to adopt Resolution No. 2023-9, a Resolution of the Borough of Bridgeville giving notice to be included in the Allegheny County Community Development Block Grant and Home Investment Partnerships Programs for three program years 2024, 2025 and 2026 was made by Ms. Cimarolli, seconded by Mr. Verduci; Ms. Cimarolli asked what projects have been recently completed with CDGB funding. Manager Kauer stated that the improvements